

Randy Cole
Regenerative Research
Denver, CO 80210



Project 135420
Lab # 129964
Date Rec'd 10/30/2025
Report Issued 11/5/2025

Project

Sample Ipamorelin 10 mg (batch IP25-03)

Certificate of Analysis



<u>Analyte</u>	<u>Result</u>	<u>LOQ</u>	<u>Units</u>	<u>Method</u>	<u>Date</u>	<u>% of Label</u>
Microbiology						
Endotoxins	ND	1	EU/mL	USP 85	11/1/2025	
Peptide Analysis						
Chromatographic purity	>99.95	0.5	%	HPLC-UV/MS	11/4/2025	
Total peptide mass	10.0	0.5	mg	HPLC-UV/MS	11/4/2025	100
Ipamorelin	ID Confirmed			HPLC-UV-MS	11/4/2025	

The data presented are from the analysis of the sample shown and meet Krause Analytical internal quality assurance criteria unless otherwise flagged.
Methods shown reference current Krause Analytical SOPs
ND - Not detected LOQ - limit of quantification
Copyright © 2025 Krause Analytical LLC. All rights reserved.


Respectfully submitted,

Mark C. Krause
Laboratory Director

**krause analytical**

Chromatogram

Response_



Mass spectrum/Reference Spectrum

