

Regenerative Research
Denver, CO



Project 135512
Lab # 130560
Date Rec'd 11/23/2025
Report Issued 12/1/2025

Project

Sample SS-31 50 mg batch SS25-03

Certificate of Analysis



<u>Analyte</u>	<u>Result</u>	<u>LOQ</u>	<u>Units</u>	<u>% of Label</u>	<u>Method</u>	<u>Date</u>	<u>CAS</u>
Peptide Analysis							
Chromatographic purity	>99.95	0.5	%		HPLC-UV/MS	11/28/2025	
Elamipritide (SS-31)	56.0	0.5	mg	111.9	HPLC-UV-MS	11/28/2025	736992-21-5
Elamipritide (SS-31)	ID Confirmed				HPLC-UV-MS	11/28/2025	736992-21-5
Microbiology							
Endotoxins	ND	1	EU/mL		USP 85	11/29/2025	

The data presented are from the analysis of the sample shown and meet Krause Analytical internal quality assurance criteria unless otherwise flagged.
Methods shown reference current Krause Analytical SOPs
ND - Not detected LOQ - limit of quantification
Copyright © 2025 Krause Analytical LLC. All rights reserved.


Respectfully submitted,

Mark C. Krause
Laboratory Director



Chromatogram

Response_



Mass spectrum/Reference Spectrum

