

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

SS-31 - 50mg

Tested for: Regenerative Research

<https://www.regenerativeresearch.co/>

COA #: COA-2026-954710
Lot Number: 395915
Labeled Content: 50mg
Sample Matrix: Lyophilized

Analysis Date: 07/31/2026
Appearance: Good
Date Received: 07/09/2026

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: UWJLS4RB

Method: Full QC Panel

Identity

SS-31


Peptide Purity

99.61%

Blend Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.61%	%	PASS
Net Peptide Content	Report Only	51.98	mg	N/A
Identity (HPLC-RTM)	SS-31	Confirmed	-	PASS

HPLC Chromatogram



Representative chromatogram, Conformity V1

HPLC Conformity Testing Results (3 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.61%	51.98 mg	Confirmed	PASS
Conformity V1	99.59%	51.17 mg	Confirmed	PASS
Conformity V2	99.59%	52.81 mg	Confirmed	PASS
Mean	99.60%	51.99 mg	—	—
Std Dev	0.0094%	0.6695 mg	—	—



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
7/31/2026

COA #: COA-2026-954710
Access Code: UWJLS4RB
Verify: <portal.ils-lab.com/verify/6AA8DmLXayRPwN8D>
Issued: 7/31/2026

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	ND	PASS
Cadmium (Cd)	NMT 0.5 ppm	ND	PASS
Lead (Pb)	NMT 1.0 ppm	ND	PASS
Mercury (Hg)	NMT 1.5 ppm	ND	PASS
Chromium (Cr)	NMT 10.0 ppm	ND	PASS

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	NMT 0.05 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 07/31/2026. Methods: Blend Purity, Identity & Quantitation (HPLC).
2. The sample was confirmed to be SS-31 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Chromatogram shown is representative: Conformity V1 (99.59% purity, closest to batch mean of 99.60%).




Dr. Greg Kalyuzhny
Lab Director
7/31/2026

COA #: **COA-2026-954710**
Access Code: **UWJLS4RB**
Verify: <portal.ils-lab.com/verify/6AA8DmLXayRPwN8D>
Issued: 7/31/2026